

01	A	B	C	D	E
02	A	B	C	D	E
03	A	B	C	D	E
04	A	B	C	D	E
05	A	B	C	D	E
06	A	B	C	D	E
07	A	B	C	D	E
08	A	B	C	D	E
09	A	B	C	D	E
10	A	B	C	D	E
11	A	B	C	D	E
12	A	B	C	D	E
13	A	B	C	D	E

14	A	B	C	D	E
15	A	B	C	D	E
16	A	B	C	D	E
17	A	B	C	D	E
18	A	B	C	D	E
19	A	B	C	D	E
20	A	B	C	D	E
21	A	B	C	D	E
22	A	B	C	D	E
23	A	B	C	D	E
24	A	B	C	D	E
25	A	B	C	D	E
26	A	B	C	D	E

27	A	B	C	D	E
28	A	B	C	D	E
29	A	B	C	D	E
30	A	B	C	D	E
31	A	B	C	D	E
32	A	B	C	D	E
33	A	B	C	D	E
34	A	B	C	D	E
35	A	B	C	D	E
36	A	B	C	D	E
37	A	B	C	D	E
38	A	B	C	D	E
39	A	B	C	D	E

PRACTICE QUESTIONS

ATI Testing

CFA12

Final Assessment

EDITION

Demo

QUESTIONS

9

FORMAT

Limited Edition PDF

Before you begin

What this is

9 practice questions for ATI Testing **CFA12**, each with its answer key and an explanation. Answer a question before you read its key — the explanation is worth more once you have committed.

If something looks wrong

Send us three things and we will check it:

- the exam code, **CFA12**
- the question number
- the email address on your order

Write to **support@mometrix.net**. We reply within one business day.

QUESTION 1

SINGLE CHOICE

A nurse is caring for a client on contact precautions. Which action should the nurse take before entering the client's room?

- ☒ **A** Perform hand hygiene and put on a gown and gloves
- ☐ **B** Apply a surgical mask only
- ☐ **C** Put on gloves only, since hand hygiene is not required if gloves are worn
- ☐ **D** Apply an N95 respirator and eye protection

ANSWER A

WHY Contact precautions require hand hygiene followed by donning a gown and gloves before entering the room to prevent transmission of organisms spread by direct or indirect contact.

QUESTION 2

SINGLE CHOICE

A nurse is prioritizing care for four clients at the start of a shift. Which client should the nurse assess first?

- ☐ **A** A client who reports mild incisional pain rated 3 out of 10
- ☒ **B** A client with new-onset stridor and use of accessory muscles
- ☐ **C** A client requesting assistance to the bathroom
- ☐ **D** A client who needs discharge teaching reinforced

ANSWER B

WHY Using the airway-breathing-circulation priority framework, a client with stridor and accessory muscle use has an airway/breathing compromise and must be assessed first as it is potentially life-threatening.

QUESTION 3

TRUE/FALSE

An oral temperature of 37.0°C (98.6°F) is within the expected range for a healthy adult.

☒ **A** True☐ B False**ANSWER A**

WHY 37.0°C (98.6°F) is the classic average normal oral body temperature, within the expected range of approximately 36.5–37.5°C.

QUESTION 4

SINGLE CHOICE

Before administering a scheduled oral medication, a nurse checks the client's identity using two identifiers. Which pair is appropriate?

☐ A Room number and bed number☒ **B** Client's full name and date of birth☐ C Client's diagnosis and physician name☐ D Client's first name and admitting nurse**ANSWER B**

WHY The Joint Commission's National Patient Safety Goals require two identifiers that are not room or location-based, such as full name and date of birth.

QUESTION 5

SINGLE CHOICE

A nurse made an error while handwriting an entry in a client's paper chart. Which action is correct?

- ☐ A Use correction fluid to cover the error and rewrite it
- ☒ B Draw a single line through the error, write 'error,' and initial it
- ☐ C Erase the error completely and write over it
- ☐ D Remove the page and rewrite the entire entry

ANSWER B

WHY Correct charting-error procedure is a single strike-through line, labeling it as an error, and initialing it so the original entry remains legible, preserving the legal record.

QUESTION 6

SINGLE CHOICE

A client states, 'I'm scared about my surgery tomorrow.' Which response by the nurse demonstrates therapeutic communication?

- ☐ A 'Don't worry, everything will be fine.'
- ☒ B 'Tell me more about what's making you feel scared.'
- ☐ C 'Everyone feels that way before surgery.'
- ☐ D 'You shouldn't be scared, the surgeon is excellent.'

ANSWER B

WHY Open-ended, exploring statements that invite the client to elaborate on feelings are therapeutic; false reassurance and dismissive statements block communication.

QUESTION 7

SINGLE CHOICE

Which intervention is most appropriate for a hospitalized older adult identified as high risk for falls?

- ☒ **A** Place the bed in the lowest position with the call light within reach
- ☐ **B** Apply a vest restraint to prevent ambulation
- ☐ **C** Keep the room dimly lit at all times
- ☐ **D** Discourage family members from visiting

ANSWER A

WHY Keeping the bed in the lowest position and the call light accessible are standard, least-restrictive fall-prevention interventions; restraints are used only as a last resort.

QUESTION 8

MULTIPLE CHOICE

Which of the following are components of standard precautions used with all clients regardless of diagnosis? (Choose two.)

- ☒ **A** Hand hygiene before and after client contact
- ☒ **B** Wearing gloves when contact with blood or body fluids is anticipated
- ☐ **C** Placing all clients in a negative-pressure room
- ☐ **D** Wearing an N95 respirator for every client interaction

ANSWER A - B

WHY Standard precautions apply to every client and include hand hygiene and use of gloves when contact with blood, body fluids, or contaminated items is anticipated; negative-pressure rooms and N95 respirators are used only for specific airborne precautions.

QUESTION 9

MULTIPLE CHOICE

According to Maslow's hierarchy of needs, which of the following are physiological needs that take priority over safety needs? (Choose two.)

- ☒ **A** Oxygenation
- ☒ **B** Nutrition
- ☐ **C** Sense of belonging
- ☐ **D** Self-esteem

ANSWER **A • B**

WHY Oxygenation and nutrition are basic physiological needs at the base of Maslow's hierarchy and must be met before higher-level needs such as belonging or self-esteem.